





EU – TYPE EXAMINATION CERTIFICATE RADIO EQUIPMENT DIRECTIVE 2014/53/EU Annex III Module B

MANUFACTURER

MANUFACIUKER	and the second s	
Name		Juniper Systems INC
Address		1132 W 1700 N,Logan 84321-1723 United States
Contact Name & Title		Kent Campbell
Email		kent@junipersys.com
Phone number		

PRODUCT DESCRIPTION

	2000	
Trademark/Trade Name	Ś	Juniper Systems
Model Number		MS3
Product Description	¥.	Tablet PC

NOTIFIED BODY

Certificate issued by	Notified Body 1	177, TIMCO Engineer	ing, Inc.	
Certificate number	E1177-221998			
Name and Signature	Bruno Clavier	Bruno Clavior	Date:	June 14, 2022

The device shall be marked as follows: **()**

Based on the evidence presented in the Technical Documentation, TIMCO Engineering, Inc., as appointed Notified Body, has issued this EU Type Examination Certificate in accordance with Annex III Module B. The product described appears to be in conformity with the essential requirements Article 3.2 of RED 2014/53/EU. This certificate relates only to the documents as provided to Timco Engineering, Inc. and is valid up to (1) the date of cessation of presumption of conformity of any of the superseded standards which were used for testing this product and assessed by Notified Body or (2) the date of modifications to the approved type that may affect the conformity of the apparatus with the essential requirements of this Directive or the conditions for validity of that certificate, whichever comes first.

TIMCO Engineering, Inc.	This Certificate is issued under the provision that TIMCO Engineering, Inc. nor its
849 NW State Road 45	subsidiary companies accept any liability concerning the contents of this document other
Newberry, FL 32669	than forced by law. Reproduction of the Certificate (with Annex) in full is allowed.
www.timcoengr.com	Reproduction of parts of this certificate may only be allowed by written permission of
A2LA Accredited	TIMCO Engineering, Inc.
(Certificate No. 0955.02)	







EU – TYPE EXAMINATION CERTIFICATE E1177-221998

Date: June 14, 2022

PRODUCT SPECIFICAT	[IO]	NS
Intended Use / Category		Bluetooth for module 9260D2WL
RF output power	S.	11.88 dBm eirp
Frequency range (MHz)	S.	2402 to 2480 MHz
Modulation	S)	GFSK, π/4DQPSK, 8DPSK
Antenna type		PIFA antenna
	Ş	
Intended Use / Category		Bluetooth LE for module 9260D2WL
RF output power		9.14 dBm eirp
Frequency range (MHz)		2402 to 2480 MHz
Modulation	že	GFSK
Antenna type	÷	PIFA antenna
Intended Use / Category	÷	WLAN 802.11b/g/n for module 9260D2WL
RF output power	ÿ	18.67 dBm eirp
Frequency range (MHz)		2412 to 2472 MHz
Modulation		DSSS, DBPSK, DQPSK, CCK
Wiodulation	S	OFDM, BPSK, QPSK, 16QAM, 64QAM
Antenna type	V	PIFA antenna
	Sa.	
Intended Use / Category		WLAN 802.11a/n/ac for module 9260D2WL
RF output power		20.50 dBm eirp
Frequency range (MHz)	Se la compañía de la comp	5180 to 5320 MHz
Modulation	S.	OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
Antenna type	S.	PIFA antenna
	<u> </u>	
Intended Use / Category		WLAN 802.11a/n/ac for module 9260D2WL
RF output power	¥.	21.49 dBm eirp
Frequency range (MHz)	S.	5500 to 5700 MHz
Modulation	<u> </u>	OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
Antenna type	÷	PIFA antenna
Intended Use / Category	¥.	WLAN 802.11a/n/ac for module 9260D2WL
RF output power	¥.	12.42 dBm eirp
Frequency range (MHz)		5725 to 5825 MHz
Modulation		OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM
Antenna type	¥a	PIFA antenna
Timeinia type	¥a	
Intended Use / Category	S.	RFID
RF output power	¥2	32.38 dBm eirp
Frequency range (MHz)	ÿ	865.6 to 867.6 MHz
Modulation	<u>÷</u>	PR-ASK, PWM
Antenna type	¥2	Internal, Passive, Loop

Page 2 of 7

302			
Intended Use / Category		UMTS 900 MHz VIII for module EM7455	S
RF output power		24 dBm	g
Frequency range (MHz)		Transmit: 880 to 915 MHz	g
		Receive: 925 to 960 MHz	ġ
Modulation	X	WCDMA (QPSK,16QAM)	S
Antenna type	÷	Monopole	
Intended Use / Category	Ż	UMTS 1800 MHz Band III for module EM7455	
RF output power	Ż	24 dBm	g
Frequency range (MHz)		Transmit: 1710 to 1785 MHz	S
		Receive: 1805 to 1880 MHz	S
Modulation		WCDMA (QPSK,16QAM)	g
Antenna type	<u></u>	Monopole	
Intended Use / Category	Š	UMTS 2100 Band I for module EM7455	
RF output power	S.	24 dBM	S
Frequency range (MHz)		Transmit: 1920 to 1980 MHz	3
		Receive: 2110 to 2170 MHz	S
Modulation	S.	WCDMA (QPSK,16QAM)	Ĭ
Antenna type	X	Monopole	I
Intended Use / Category	<u> </u>	LTE Band 20 for module EM7455	
RF output power	Ż	24 dBm	E
Frequency range (MHz)		Transmit: 832 to 862 MHz	g
requency range (wriz)	Ś	Receive: 791 to 821 MHz	ŝ
Modulation	S.	FDMA (QPSK,16QAM,64QAM)	
Antenna type	¥.	Monopole	
Intended Use / Category	S	LTE Band 8 for module EM7455	
RF output power	÷	24 dBm	S
Frequency range (MHz)	÷	Transmit: 880 to 915 MHz	ğ
requency range (wriz)	¥.	Receive: 925 to 960 MHz	3
Modulation	1	FDMA (QPSK,16QAM,64QAM)	y.
Antenna type	S.	Monopole	3
	S.		
Intended Use / Category	<u>*</u>	LTE Band 3 for module EM7455	3
RF output power	S.	24 dBm Transmit: 1710 to 1785 MHz	
Frequency range (MHz)	Š.	Receive: 1805 to 1880 MHz	ġ
Modulation	S.	FDMA (QPSK,16QAM,64QAM)	3
Antenna type	S.	Monopole	
Intended Use / Category	¥.	I TE Dand I for module EM7455	
RF output power	Y	LTE Band 1 for module EM7455 24 dBm	
Frequency range (MHz)		Transmit: 1920 to 1980 MHz	-
riequency range (MHZ)	¥.	Receive: 2110 to 2170 MHz	3
Modulation	S.	FDMA (QPSK,16QAM,64QAM)	3
Antenna type	S.	Monopole	3
- intenna type	- Sector	попорого	3

Page 3 of 7

Intended Use / Category	S	LTE Band 7 for module EM7455	
RF output power	Y	24 dBm	
Frequency range (MHz)	V	Transmit: 2500 to 2570 MHz	
	S	Receive: 2620 to 2690 MHz	
Modulation	V	FDMA (QPSK,16QAM,64QAM)	
Antenna type	÷	Monopole	
	ÿ		
Intended Use / Category	¥)	GNSS Receiver	
RF output power	×,	N/A	
Frequency range (MHz)	ÿ	1559 to 1610 MHz	
Modulation	V	N/A	
Antenna type	¥,	Internal	

16

According to the Technical Documentation compiled by the Manufacturer, the following standards were used:

ESSENTIAL REQUIREMENTS				
Essential Requirement	Standard Number & Version			
Radio (Article 3.2) :	EN 300 328 V2.2.2			
	EN 301 893 V2.1.1			
	EN 300 440 V2.1.1			
	EN 301 908-1 V13.1.1			
	EN 301 908-2 V13.1.1			
	EN 301 908-13 V13.1.1			
	EN 302 208 V3.1.1			
	EN 303 413 V1.1.1			
EMC (Article 3.1b) :	Assessment not requested			
Health (Article 3.1a) :	Assessment not requested			
Safety (Article 3.1a) :	Assessment not requested			

TECHNICAL DOCUMENTATION

Item	Exhibit Description	
1.	Copy of the Declaration of Conformity (Draft acceptable)	Ø
2.	RED 10(10): Pictogram exhibit of the packaging or a Letter of Attestation and/or exhibits explaining compliance with Article 10(10). A draft pictogram is acceptable.	
3.	Operational Description and Circuit Description of the product/device, where applicable.	
4.	External Photos of the device	V
5.	Internal Photos of the device	Ø
6.	User manual and information and installation instructions	
7.	Schematic drawings	
8.	Block Diagrams	
9.	Risk Assessment. RED Annex III module B to Analysis and assessment of the risk(s) (See TGN 30 for guidance)	Ø
10.	If Applicable: Modification/Standard Update/Applicant or Manufacturer info change letter explaining the changes to the existing version of the product along with supporting exhibits (e.g., photos, schematics, new applicant details, etc.) Applicable for Product Modifications, Applicant Name Change, Add Model, and Standard Update.	
11.	If Applicable: Previous Copy of the EU/UK type examination certificate and annexes as delivered by other notified bodies involved in the conformity assessment (e.g., original certificates in case of product modifications, modules certificates, etc.) Where applicable.	

Page 4 of 7

- 10									
12.	12. Test Reports								
	Radio / EMC / Health / Safety	Test Report Number	Issue Date/ Rev. No						
	Radio	2240225R-RFCEBLEV01-A	May 24, 2022 / 00						
	Radio	2240225R-RFCEBT2V01-A	May 24, 2022 / 00						
	Radio	2240225R-RFCEWL2V01-A	May 24, 2022 / 00						
64	Radio	2240225R-RFCEOTHV09-A	May 24, 2022 / 00						
999	Radio	2240225R-RFCEWL5V01-A	May 24, 2022 / 00						
	Radio	EMC_JUNIP_026_19001_EN3002208_RFID	April 24, 2019						
	Radio	EMC_JUNIP_036_19001_EN302208_RFID	February 26, 2020						
	Radio	u-blox NEO-M8M-0	June 16, 2017						
	Radio	MP_007854	April 4, 2019						
	Radio	MUS_SIERRA_1501_01	August 20, 2015						
520	Radio	MUS_SIERRA_1501_04	October 5, 2015						
968	Radio	MUS_SIERRA_1501_05	May 22, 2017						
	Radio	MUS_SIERRA_1502_02	March 23, 2016						

QČ

ñ

<u>į</u>

This certificate is issued under the following additional and non-exhaustive list of provisions of the Radio Equipment Directive (2014/53/EU) of the European Parliament and the Council of the European Union:

- 1. Article 10(1): When placing their radio equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the essential requirements set out in Article 3.
- Article 10(2): Manufacturers shall ensure that radio equipment shall be so constructed that it <u>can be</u> operated in at least one Member State without infringing applicable requirements on the use of radio <u>spectrum</u>.
- 3. Article 10(4): Manufacturers shall keep a copy of the EU-type examination certificate, its annexes and additions together with the technical documentation at the disposal of the national authorities for 10 years after the apparatus has been placed on the market.
- 4. Article 10(5): Manufacturers shall ensure that procedures are in place for series production to remain in conformity with this Directive. Changes in radio equipment design or characteristics and changes in the harmonised standards or in other technical specifications by reference to which conformity of radio equipment is declared shall be adequately taken into account.

When deemed appropriate with regard to the risks presented by radio equipment, manufacturers shall, to protect the health and safety of end-users, carry out sample testing of radio equipment made available on the market, investigate, and, if necessary, keep a register of complaints, of non-conforming radio equipment and radio equipment recalls, and shall keep distributors informed of any such monitoring.

- 5. Article 10(6): Manufacturers shall ensure that radio equipment which they have placed on the market bears a type, batch or serial number or other element allowing its identification, or, where the size or nature of the radio equipment does not allow it, that the required information is provided on the packaging, or in a document accompanying the radio equipment.
- 6. Article 10(7): Manufacturers shall indicate on the radio equipment <u>their name</u>, registered trade name or registered trade mark and the postal address at which they can be contacted or, where the size or nature of radio equipment does not allow it, on its packaging, or in a document accompanying the radio equipment. The address shall indicate a single point at which the manufacturer can be contacted. The contact details shall be in a language easily understood by end-users and market surveillance authorities.

Excerpts from Blue Guide:

- If the manufacturer (declaring himself as a manufacturer by putting his name and address on the product) is <u>outside the EU</u> and the products are placed on the Union market by an importer, the product will bear two addresses: the one of the manufacturer and the one of the importer. <u>Indicate the following three elements: his (1) name, (2) registered trade name or registered trade mark and (3) a single contact postal address at which they can be contacted on the product or when not possible because of the size or physical characteristics of the products, on its packaging and/or on the accompanying documentation. The single contact point may not necessarily be located in the Member State where the product is made available on the market. (Notes: However, if the importer acts as the manufacturer's Authorised Representative, then only the importer's address is required on the product.)</u>
- If the original manufacturer is <u>outside the EU</u> and the importer places the product on the market under his own name or trademark or modifies the product already placed on the market (in such a way that compliance with the applicable requirements may be affected), the importer is considered the manufacturer. The only address that in this case will figure on the product (or packaging or accompanying document) is the address of the importer who is considered as the manufacturer.
- If the manufacturer is **within the EU**, the product will bear only one (manufacturer's) address as there is no importer involved.
- If the manufacturer is **within the EU** (a company located in the EU declaring itself to be a manufacturer by putting its name and address on the product) although the products are manufactured outside the EU, that company is considered to be the manufacturer who places the product on the Union market, even if actual importation is done by another company. In this case there is no importer in the meaning of the importer's definition and it is sufficient to put only the manufacturer's address.

Article 10(8): Manufacturers shall ensure that the radio equipment is accompanied by instructions and safety information in a language which can be easily understood by consumers and other end-users, as determined by the Member State concerned. Instructions shall include the information required to use radio equipment in accordance with its intended use. Such information shall include, where applicable, a description of accessories and components, including software, which allow the radio equipment to operate as intended. Such instructions and safety information, as well as any labelling, shall be clear, understandable and intelligible.

The following information shall also be included in the case of radio equipment intentionally emitting radio waves:

(a) frequency band(s) in which the radio equipment operates;

(b) maximum radio-frequency power transmitted in the frequency band(s) in which the radio equipment operates.

8. Article 10(9): Manufacturers shall ensure that each item of radio equipment is accompanied by <u>a copy</u> of the EU declaration of conformity or by a simplified EU declaration of conformity. Where a simplified EU declaration of conformity is provided, it shall contain the exact internet address where the full text of the EU declaration of conformity can be obtained. The simplified EU declaration of conformity is to be placed in the user's manual:

Hereby, **[Name of manufacturer]** declares that the radio equipment type **[designation of type of radio equipment]** is in compliance with Directive 2014/53/EU.

The full text of the EU declaration of conformity is available at the following internet address:xxxxx

- 9. Article 10(10): In cases of restrictions on putting into service or of requirements for authorisation of use, information available on the packaging shall allow the identification of the Member States or the geographical area within a Member State where restrictions on putting into service or requirements for authorisation of use exist. Such information shall be completed in the instructions accompanying the radio equipment. The Commission may adopt implementing acts specifying how to present that information. Those implementing acts shall be adopted in accordance with the advisory procedure referred to in Article 45(2).
- 10. Article 10(11): Manufacturers who consider or have reason to believe that radio equipment which they have placed on the market is not in conformity with this Directive shall immediately take the corrective measures necessary to bring that radio equipment into conformity, to withdraw it or recall it, if appropriate. Furthermore, where the radio equipment presents a risk, manufacturers shall immediately inform the competent national authorities of the Member States in which they made the radio equipment available on the market to that effect, giving details, in particular, of the non-compliance, of any corrective measures taken and of the results thereof.
- 11. Article 10(12): Manufacturers shall, further to a reasoned request from a competent national authority, provide it with all the information and documentation in paper or electronic form necessary to demonstrate the conformity of the radio equipment with this Directive, in a language which can be easily understood by that authority. They shall cooperate with that authority, at its request, on any action taken to eliminate the risks posed by radio equipment which they have placed on the market.
- 12. Article 19(2): On account of the nature of radio equipment, the height of the CE marking affixed to radio equipment may be lower than 5 mm, provided that it remains visible and legible.
- 13. Article 20(1): The CE marking shall be affixed visibly, legibly and indelibly to the radio equipment or to its data plate, unless that is not possible or not warranted on account of the nature of radio equipment. The CE marking shall also be affixed visibly and legibly to the packaging.
- 14. Annex III Module B, Point 7, Declaration of Conformity: The manufacturer shall inform the notified body that holds the technical documentation relating to the EU-type examination certificate of all modifications to the approved type that may affect the conformity of the radio equipment with the essential requirements of this Directive or the conditions for validity of that certificate. Such modifications shall require additional approval in the form of an addition to the original EU-type examination certificate.
- 15. Annex VI Declaration of Conformity, Point 8: Where applicable, description of accessories and components, including software, which allow the radio equipment to operate as intended and covered by the EU declaration of conformity

16. Product Specifications: The antenna gain and any other data is provided by the applicant.

Page 7 of 7